

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.:	IECEX CML 15.0085X	Issue No: 1	Certificate history:

Issue No. 1 (2017-01-05)

Status: Page 1 of 4 Issue No. 0 (2016-09-27)

Date of Issue: 2017-01-05

Applicant: Extronics Ltd

1 Dalton Way Midpoint 18 Middlewich Cheshire CW10 0HU **United Kingdom**

Equipment: iRFID500 Tag Reader

Optional accessory:

Type of Protection: Intrinsic Safety

Marking:

Ex ia IIC T4 Ga and Ex ia I Ma

Ex ia IIIC T135°C Da

Ta = -20°C to +55°C

Approved for issue on behalf of the IECEx

Certification Body:

H M Amos MIET

Position: Technical Manager

Signature:

(for printed version)

1/Mes

Date: January 5, 2017

- 1. This certificate and schedule may only be reproduced in full.
- 2. This certificate is not transferable and remains the property of the issuing body.
- 3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website.

Certificate issued by:

Certification Management Limited Unit 1, Newport Business Park New Port Road Ellesmere Port CH65 4LZ United Kingdom





Certificate No: IECEx CML 15.0085X Issue No: 1

Date of Issue: 2017-01-05 Page 2 of 4

Manufacturer: Extronics Ltd

1 Dalton Way Midpoint 18 MIddlewich Cheshire CW10 0HU United Kingdom

Additional Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2011 Explosive atmospheres - Part 0: General requirements

Edition:6.0

IEC 60079-11 : 2011 Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"

Edition:6.0

This Certificate does not indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report:

GB/CML/ExTR17.0001/00 GB/CML/ExTR15.0087/00

Quality Assessment Report:

GB/SIR/QAR08.0025/06



Certificate No:	IECEx CML 15.0085X	Issue No: 1
-----------------	--------------------	-------------

Date of Issue: 2017-01-05 Page 3 of 4

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

The iRFID500 is an intrinsically safe handheld device designed to read passive RFID (Radio Frequency Identification) tags.

See Annex for full description

CONDITIONS OF CERTIFICATION: YES as shown below:

See Annex for Conditions of Certification



Certificate No: IECEx CML 15.0085X Issue No: 1

Date of Issue: 2017-01-05 Page 4 of 4

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above):

Issue 1

This issue introduced the following changes:

- 1. To allow minor changes to the iRID500 drawings to include the modification below, correct typographical errors and clarification of drawing notes, references and assembly parts.
- 2. To allow an alternative safety fuse to be utilised.

Annex:

Certificate Annex IECEx 15.0085X Issue 1.pdf

Annexe to: IECEx CML 15.0085X Issue 1

Applicant: Extronics Ltd

Apparatus: iRFID500 RFID Tag Reader



Product Description

The iRFID500 is an intrinsically safe handheld device designed to read passive RFID (Radio Frequency Identification) tags.

It features an LCD display, indicating LEDs, sounder, vibrator, RF transceiver and a Bluetooth transceiver for communicating wirelessly with other electronic devices.

The electronic circuit board is housed in a plastic enclosure and is powered by an internal 3.7V rechargeable lithium ion battery. The unit is charged in the safe area via a USB socket in the base of the enclosure using the USB Charger Adapter model number iRFID500UC.

Conditions of Manufacture

None

Conditions of Certification

The following conditions relate to safe installation and/or use of the equipment.

- i. The USB socket must not be used in the hazardous area
- ii. Equipment must only be recharged with USB Charger Adapter model number iRFID500UC

Unit 1, Newport Business Park New Port Road Ellesmere Port CH65 4LZ

T +44 (0) 151 559 1160 **E** info@cmlex.com



