

TC77ex-NI Accessories

Datasheet











Accessories for use in potentially explosive atmospheres

Accessories are approved for:

- ATEX: Zone 2/22 (EPS 17 ATEX 1 028 X)
- IECEx: Zone 2/22 (IECEx EPS 17.0012X)
- NEC: Class I,II, III Div 2 (ETL File 5012876)



Battery

certified in combination with Touch Computer TC77ex-NI

Description	 Lithium-ion battery 3.7 V/4620 mAh May only be changed outside the potentially explosive atmosphere! May only be charged outside the potentially explosive atmosphere!
Order no.	B7-A2Z0-0072



Scan handle

certified in combination with Touch Computer TC7x series

Description	 Simple assembly and disassembly without tools Camera and expansion interface remain usable Hand strap can remain on the device Holder for stylus Charging in base station with mounted scan handle
Order no.	possible Must be changed only outside potentially explosive atmosphere! B7-A2Z0-0052



Leather holster

certified in combination with Touch Computer TC7x series

Description	- Holder for stylus
Order no.	B7-A2Z0-0057


Accessories for use in potentially explosive atmospheres



Leather carry case

certified in combination with Touch Computer TC7x series

Description	 Robust leather in industrial quality
	 Holder for stylus
	 Included belt clip
	Must be changed only outside potentially explosive atmosphere!
Order no.	B7-A2Z0-0073



Screen protector

certified in combination with Touch Computer TC7x series

Description	- 3 pieces	
	Must be changed only outside potentially explosive atmosphere!	
Order no.	B7-A2Z0-0051	
Order no.	B7-A2Z0-0051	

Accessories for use outside potentially explosive atmospheres



4-slot battery charging station for Touch Computer TC7x series

TC 75Xex-NI	Charging four batteriesCharging display via LED	
Also required	(not included in the delivery)	
	 Power supply with DC connecting cable 	
	- AC power cable	
TC 75Xex-NI	G7-A0Z0-0020	



Base station

for Touch Computer TC7x series

Description	Charging the Touch ComputerCharging a spare battery	
	- Charging a spare pattery	
Also required	(not included in the delivery)	
	 Power supply with DC connecting cable 	
	 AC power cable 	
	 Micro USB cable for data synchronization 	
Order no.	G7-A0Z0-0022	



USB adapter cable

for Touch Computer TC7x series

Description	Charging the Touch ComputerData synchronization via USB	
Also required	(not included in the delivery)	
	 Power supply for USB adapter cable 	
	- AC power cable	
Order no.	G7-A0Z0-0037	



Power supply

with DC connecting cable

Description	 for 4-slot battery charging station and base station 	
	Input voltage: AC 100 V to 240 V	
	Output voltage: DC 12 V/4,16 A/50 W	
Order no.	G7-A0Z0-0023	



Power supply

for USB adapter cable

Description	Including DC connecting cableInput voltage: AC 100 V to 240 V	
-	- Output voltage: DC 5 V/3 A/16 W	
Order no.	G7-A0Z0-0038	



Micro USB cable

for base station

Description	for data synchronizationUSB (A) to micro USB (B)	
Order no.	03-9919-0013	



AC power cable

suitable for power supply with DC connection cable

Description	3-wire, country-specific	
Order no.	US + Canada G7-A0Z0-0024	
	EU + APAC	G7-A0Z0-0026
	Taiwan	G7-A0Z0-0027
	Other country specific cables have to be purchased locally!	



AC power cable

suitable for power supply for USB adapter cable

Description	3-wire, country-specific	
Order no.	US + Canada	G7-A0Z0-0032
	EU + APAC	G7-A0Z0-0034
	Other country specific cables have to be purchased locally!	

Comm-Co B.V.

Kreekzoom 9, 4561 GX, Hulst The Netherlands

Tel: +31 114-370030 Email: info@comm-co.com

